

MARQUIS™ 560



Specifications

LOA (with platform & gunnel molding)	57'5"	17,5 m
Molded Hull Length	54'	16,5 m
Beam	16'	4,9 m
Draft (Volvo D12, full displacement)	60"	1,5 m
Weight with fuel & water	62,000 lbs.	28123 kg
Bridge Clearance (waterline to arch)	18'5"	5,61 m
Fuel System (Diesel Twin Inboards)	836 U.S. gal.	3165 liters
Water System	200 U.S. gal.	757 liters
Holding Tank	100 U.S. gal.	379 liters
Cabin Headroom	6'6"	2 m
Sleeps	6 (8 optional + 1 in optional crew quarters)	



MARQUIS™ 560

CONSTRUCTION

- ◇ Fabricated aluminum floor frames with stainless steel stanchions
- ◇ Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, & cabintops
- ◇ Hull bottom sandblasted in preparation for bottom paint; assures adherence and eliminates the "peeling effect"
- ◇ Molded fiberglass stringer system
- ◇ Solid fiberglass hull bottoms with Knytex substrates & vinylester barrier coat
- ◇ Structural engine mountings - longitudinal stringer span mounting with reinforced, double-gusseted angle steel plates
- ◇ Tinted, tempered safety glass frameless window systems
- ◇ Unitized deck, cockpit, & cabintop construction with integral aluminum truss reinforcement in cabintop structure
- ◇ Cherry wood bulkheads, cabinetry, & trim throughout cabin with high-gloss finish

MECHANICAL

- ◇ Air conditioning - Cruisair®, split system, 4-zone - 72,000 BTU; with reverse cycle heat and heater strips; dedicated Marinc® shore power connector
- ◇ Cutlass bearings - synthetic rubber composite
- ◇ Dripless shaft logs with spare seals
- ◇ Exhaust mufflers - engines, generator
- ◇ Fresh water cooling - engines
- ◇ Fuel tanks (2) - 420 gallons (1590 liters) each, painted white, welded, baffled 5052 aluminum
- ◇ Hydraulic steering
- ◇ Marquis Docking System™ includes 8.7 hp, 9.8" (25 cm) diameter Side Power® bow & stern thrusters providing 286 lbs. (130 kg) of thrust with wireless docking remote control
- ◇ Propellers - Certifiable Alloy NiBrAl, 31" diameter, manufacturer-certified
- ◇ Propeller shafts - Aquamet®
- ◇ Rudders & struts - 421 manganese bronze
- ◇ Seawater strainers
- ◇ Trim tabs - Lectrotab®, hydraulic/electric, 36" x 12" (91 cm x 31 cm) plane

WATER & HOLDING SYSTEMS

- ◇ Fresh water storage tanks (2) - polyethylene, 100 gallons (379 liters) each
- ◇ Fresh water tank level monitor
- ◇ Handshower - fresh water, hot & cold, on transom
- ◇ ITT Jabsco® fresh water system - variable speed drive pump sensor, Max™ 4.5 gallon/minute (17 liters/minute) flow rate, high flow filter
- ◇ Shore water connection with pressure-reduction valve
- ◇ Washdown - fresh water, bow & transom
- ◇ Waste holding tanks (2) - (1) 68 gallon (257 liters) and (1) 38 gallon (145 liters); with filtered vents & dockside pumpouts
- ◇ Waste tank level monitor
- ◇ Water & waste lines - constructed of molecularly cross-linked polyethylene
- ◇ Water heater - 20 gallons (110V) or 76 liters (220V)

ELECTRICAL

- ◇ AC/DC distribution panels with magnetic circuit breakers & integral generator & bilge blower controls; AC & DC voltmeters; AC ammeter
- ◇ Batteries (6) - Deka Marine Master®, heavy duty commercial, deep cycle, 8D series, marine (12V) cold cranking rating of 1375 amps, reserve capacity of 430 minutes at 25 amp draw, 200 amp/hour rating [(4) engine & (2) ship service]
- ◇ Battery -(1) Deka Marine Master®, dedicated 31 series, deep cycle (12V), cold cranking rating of 950 amps, reserve capacity of 225 minutes at 23 amp draw, 100 amp/hour rating [(1) generator]
- ◇ Battery chargers - (1) 60 amp charger for the engines and ship service batteries; (1) 20 amp charger for the generator battery
- ◇ Dockside inlet - CATV with 50' (15,2 m) white cord
- ◇ Generator - 23 kW 60 Hz (20 kW 50 Hz) Kohler® with sound shield, dedicated 31 series battery & 5 year warranty
- ◇ Ground Fault Circuit Interrupt (GFCI) protection - all electrical outlets
- ◇ Inverter - Charles Marine® / Vanner®, combo 2600 watt/120 amp, 12V ship service charger with master shut off and bypass switches
- ◇ Shore power connectors (2) - 50 amp (32 amp 220V)
- ◇ Shore power cords (2) - 50' (15,2 m) white
- ◇ Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

SAFETY & NAVIGATION

- ◇ 65-5-5-5 marine grade bronze seacocks for all underwater thru-hulls
- ◇ Anodes - zinc, sacrificial
- ◇ Battery master disconnect switches
- ◇ Battery restraint brackets & boxes
- ◇ Bilge alarm - high water
- ◇ Bilge blowers (3) - (2) [3" (7,6 cm) at 150 cubic foot/minute (4,2 cubic meters/minute)] and (1)[250 cubic foot/minute (12V) (7 cubic meters/minute (12V))]
- ◇ Bilge pumps (3) - 2000 gallons (7570 liters) per hour each, auto/manual operation
- ◇ CO detectors in salon & staterooms
- ◇ Compass - Ritchie® Navigator 4.5" (11,4 cm) flush mount, illuminated & dual read
- ◇ Engine alarms - temperature & oil pressure
- ◇ Fire suppression system - automatic, FE241 (*FM200 in European Community*)
- ◇ Galvanic isolator/zinc saver
- ◇ Horn - dual, electric(12V), trumpet
- ◇ Internal bonding system with 8 gauge size wire, ABYC compliant
- ◇ Isolation transformers on the internal shore power lines
- ◇ Molded nonskid surfaces on all walk decks - diamond pattern
- ◇ Navigation lights - USCG/COL REG approved
- ◇ Spotlight - ITT Jabsco®
- ◇ Transom docking lights
- ◇ Windlass package - Maxwell® VWC 3500 with 60 lb. (27 kg) anchor & 200' (61 m) of 3/8" (9,5 mm) chain

ENGINE ROOM

- ◇ Access ladder
- ◇ Bilges coated with white, low-VOC gelcoat
- ◇ Bulkheads laminated to hull sides & stringers
- ◇ Catwalk - diamond plate aluminum
- ◇ Insulation - acoustical & thermal, vinyl vapor barrier
- ◇ Lights - overhead, fluorescent, controls in cockpit

MARQUIS™ 560

DECKS

- ◇ Anchor roller - over-the stem, stainless steel channel with nylon rollers
- ◇ Bow lockers (2) - in-deck, self-draining, for fender storage & anchor chain locker access
- ◇ Bow rail - 1.25" (3,2 cm) O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships & forward
- ◇ Bow rail stanchions - double-welded (*inside & outside*), stainless steel, anchored to aluminum backing plates laminated into deck
- ◇ Cleats - [12" (30,5 cm) stainless steel: anchor (1), bow (2) - hawse pipes; stern (4)]; [10" (25 cm) stainless steel: spring (4)] - bolted through aluminum backing plate
- ◇ Deck toe rail
- ◇ Foredeck sun pad
- ◇ Grab rail - stainless steel, over cabin windows, running length of cabin & above windshields
- ◇ Rub rail molding - heavy-duty, 1" (2,5 cm) and 3/4" (19 cm) 316L stainless steel insert
- ◇ Windshield weather covers - color coordinated

HELM

- ◇ Access panel - provides access to wiring below helm
- ◇ Accessory space - for installing navigation equipment
- ◇ Adapter - 12V
- ◇ Beverage holders - self-draining
- ◇ Companion helm seat - swivel pedestal, high-quality elegant upholstery, embroidery stitching, and arm rests
- ◇ Dash - fiberglass with brushed aluminum accents
- ◇ Displays (*1 for each engine*) - digital LCD; engine instrumentation and diagnostics
- ◇ Stationery helm display
- ◇ Gauges - analog; rudder angle, fuel level (*1 for each tank*)
- ◇ Helm seat - swivel pedestal, high-quality elegant upholstery, embroidery stitching, arm rests, flip-up seat bolster, adjustable height, stitched Marquis™ Yachts icon
- ◇ Tilt steering wheel
- ◇ Windshield - wraparound, stainless steel frame

BRIDGE

- ◇ Aft bridge dinghy storage configuration
- ◇ Beverage holders - self-draining
- ◇ Electrical outlet
- ◇ Electronics arch - welded premium grade aluminum painted with AWLCRAFT® 2000 acrylic urethane topcoat for use in harsh marine environments
- ◇ Electronics arch access plates - corrosion-resistant polymer attached with noncorroding screws & waterproof sealant
- ◇ Forward and port sun pads
- ◇ Lights - courtesy, recessed
- ◇ Lounge - double wide, starboard side, with storage beneath
- ◇ Lounge - L-shaped, port side, accommodates 5 adults, with storage beneath
- ◇ Self-draining walk surface
- ◇ Stereo speakers (2) - pre-wired
- ◇ Table
- ◇ Wet bar - self-draining sink, with pressure cold water, storage beneath

COCKPIT & SWIM PLATFORM

- ◇ Boarding platform - 51.62 ft² (4,8 m²) *approx.*, integral to hull & deck
- ◇ Boarding ladder - telescoping, with grab rail, concealed in boarding platform
- ◇ Bolsters - padded, on port & starboard weatherboards
- ◇ Bridge stairway - integral, diamond pattern non-skid steps, with stainless steel hand rail
- ◇ Cockpit - 27.85 ft² (3 m²) *approx.*, integral to hull & deck, self-draining
- ◇ Grab rails - stainless steel, by side deck stairways and on top of transom
- ◇ Hatch - engine room access, guttered, watertight, locking stainless steel latch, gas-assist, ladder to machinery compartment, sized to permit equipment removal
- ◇ Lights - courtesy, recessed, with exterior-mounted switch
- ◇ Lights (4) - halogen, overhead, recessed, with exterior-mounted switch
- ◇ Overhead sun/weather protection - 6' from cabin toward stern
- ◇ Side deck stairways (2) - integral to deck
- ◇ Stereo speakers (2) - pre-wired
- ◇ Transom doors (2) - aluminum, secures closed, stainless steel hardware
- ◇ Transom lounge - accommodates 5 adults, with storage beneath

DINETTE

- ◇ Flooring - cherry
- ◇ Lights - halogen, overhead, recessed
- ◇ Lounge - U-shaped, accommodates 6 adults, with storage beneath
- ◇ Table - cherry wood with aluminum support base

OPEN CONCEPT GALLEY

- ◇ Coffeemaker (110V only) - Cuisinart®, stainless steel, built-in
- ◇ Countertops - solid surface
- ◇ Designer décor
- ◇ Electrical outlet
- ◇ Fixed polycarbonate windows
- ◇ Flooring - cherry
- ◇ Lights - halogen, under cabinets
- ◇ Microwave - Tappan®, stainless steel, convection built-in
- ◇ Range - electric, 3-burner, smooth top
- ◇ Range vent
- ◇ Refrigerator/freezer - Subzero® with icemaker
- ◇ Rocker light switches
- ◇ Sink - double-basin, stainless steel, undermounted, with removable sprayer spout
- ◇ Storage cabinet (3) - above countertop
- ◇ Storage drawer (4)

MARQUIS™ 560

SALON

- ◇ AC main distribution panel
- ◇ Air conditioning controls
- ◇ Carpet - tufted cut pile, crush-resistant, 100% nylon
- ◇ Curtain - décor-matched, over entrance door
- ◇ Décor package - 10-piece decorator pillow set
- ◇ Designer décor
- ◇ DC main distribution panel
- ◇ Electrical outlet
- ◇ Entertainment group - 32" (81 cm) Sole® LCD TV (built to durable marine grade standards), Accoustimass® 10 Home Entertainment Surround Sound System by Bose® with 5.1 channel music and movie sound, subwoofer, Sony® stereo receiver, Sony® progressive scan 5-disc DVD/CD changer and speakers, Sirius® satellite radio system with 6 month trial subscription & Apple iPod® dock
- ◇ Entrance door - curved, sliding, double wide, handle lock, deadbolt, neutral density glass, with interior screen
- ◇ Fixed polycarbonate windows
- ◇ Inverter power system monitor
- ◇ Lights - halogen, overhead, recessed, with electronic dimmer controls
- ◇ Lounge - accommodates 4 adults, starboard side
- ◇ Roman Shades - décor matched
- ◇ Rocker light switches
- ◇ Rope lighting - halogen, recessed in soffits
- ◇ Sofa - Flexsteel®, with double incliners, port side
- ◇ Storage cabinet (2) - above port outboard window
- ◇ Wet bar with sink

LOWER HELM (OPTION)

- ◇ Carpet - tufted cut pile, crush-resistant, 100% nylon
- ◇ Circuit breakers - for helm controls
- ◇ Electrical outlet
- ◇ Gauges - flush-mounted, for navigation equipment
- ◇ Helm seat
- ◇ Lights - halogen, overhead, recessed
- ◇ Night operations light - halogen, red illumination
- ◇ Rocker light switches
- ◇ Windshield defoggers (3)
- ◇ Windshield wipers (3) - pulse, each with fresh water washer

MASTER STATEROOM

- ◇ Air conditioning controls
- ◇ Berth - queen, pillowtop innerspring mattress, island
- ◇ Berth endtables (2) - cherry with trim
- ◇ Carpet - tufted cut pile, crush-resistant, 100% nylon
- ◇ Dresser (2) - cherry inlay with trim, on port and starboard, 9 drawers each
- ◇ Designer décor
- ◇ Electrical outlet
- ◇ Entrance door - cherry exterior, secures open & closed, stainless steel hardware
- ◇ Hanging lockers (2) - full height, cedar-lined, curved aluminum rail, carpeted, overhead shelf, automatic light
- ◇ Lights - halogen, over berth head, directable for reading
- ◇ Hull portlights - (6) with screen
- ◇ Lights - halogen, overhead, recessed, with electronic dimmer control
- ◇ Duette Blinds - décor matched
- ◇ Rocker light switches and dimmer control
- ◇ Storage beneath mattress; gas-assisted hinges

MARQUIS™ 560

MASTER HEAD

- ◇ Electrical outlet
- ◇ Entrance door - cherry exterior, secures closed, integral doorstop, stainless steel hardware
- ◇ Head fan
- ◇ Holding tank monitor
- ◇ Lights - halogen, overhead, recessed
- ◇ Linen closet - with 6 shelves
- ◇ Medicine cabinet - mirrored doors with 3 shelves
- ◇ Nonskid sole
- ◇ Rocker light switches
- ◇ Storage cabinet (4) - above outboard windows
- ◇ Soap dispenser & towel rings
- ◇ Toilet - VacuFlush®, pedestal with run/sleep switch
- ◇ Toilet paper holder: wall-mounted
- ◇ Towel bars
- ◇ Vanity - solid surface top & backsplash, integral sink, 2 door cabinet below
- Shower Stall**
- ◇ Light - halogen, overhead, recessed
- ◇ Nonskid sole
- ◇ Shower door - clear acrylic in aluminum frame, secures open & closed
- ◇ Shower head - adjustable height, detachable for use as hand-shower

HEAD

- ◇ Electrical outlet
- ◇ Entrance door from guest stateroom - cherry exterior, secures closed, stainless steel hardware
- ◇ Head fan
- ◇ Hull portlight - with privacy glass
- ◇ Lights - halogen, overhead, recessed
- ◇ Mirror above vanity with shave mirror attachment
- ◇ Nonskid sole
- ◇ Rocker light switches
- ◇ Shelves (3) - with sea rails
- ◇ Storage cabinet (2) - above outboard countertop
- ◇ Towel rings (2)
- ◇ Vanity countertop extension; solid surface
- ◇ Vanity - solid surface top & backsplash, integral sink, with drawer
- Shower Stall**
- ◇ Light - halogen, overhead, recessed
- ◇ Nonskid sole
- ◇ Shower door - clear acrylic in aluminum frame, sliding door, secures open & closed
- ◇ Shower head - adjustable height, detachable for use as hand-shower
- Wet Head**
- ◇ Electrical outlet
- ◇ Entrance door (2) - from guest and third stateroom cherry exterior, secures closed, stainless steel hardware
- ◇ Head fan
- ◇ Lights - halogen, overhead, recessed
- ◇ Medicine cabinet - mirrored door
- ◇ Nonskid sole
- ◇ Rocker light switches
- ◇ Soap dispenser, toilet paper holder, towel bar & robe hook
- ◇ Toilet - VacuFlush®, pedestal, with run/sleep switch
- ◇ Vanity - solid surface top & backsplash, integral sink, with cabinet below
- ◇ Shower curtain and track

VIP STATEROOM

- ◇ Air conditioning controls
- ◇ Berth - oversized queen, pillowtop innerspring mattress, island
- ◇ Berth step-ups (2) - carpeted
- ◇ Carpet - tufted cut pile, crush-resistant, 100% nylon
- ◇ Designer décor
- ◇ Electrical outlet
- ◇ Entrance door - cherry exterior, secures closed, stainless steel hardware
- ◇ Hanging locker (2) - cedar-lined, automatic light
- ◇ Hull portlights (2) - fixed, non-opening
- ◇ Lights - halogen, over berth head, directable for reading
- ◇ Lights - halogen, overhead, recessed
- ◇ Duette blinds - décor matched
- ◇ Mirrored headboard
- ◇ Overhead hatch - translucent, lockable, inside screen
- ◇ Private guest & third head access
- ◇ Rocker light switches
- ◇ Storage beneath mattress
- ◇ Surround cabinet - (3) above and (2) below port & starboard berth windows

GUEST STATEROOM

- ◇ Berth (2) - twin
- ◇ Carpet - tufted cut pile, crush-resistant, 100% nylon
- ◇ Designer décor
- ◇ Electrical outlet
- ◇ Entrance door - cherry exterior, secures closed, stainless steel hardware
- ◇ Hanging locker, automatic light
- ◇ Hull portlight
- ◇ Lights - halogen, overhead, recessed
- ◇ Duette blinds - décor matched
- ◇ Rocker light switch

MARQUIS™ 560

OWNER PREFERENCE ITEMS

PROPULSION:

- ◇ Volvo Penta® D9 EVC - 575 hp*
- ◇ Volvo Penta® D12 EVC - 715 hp
- ◇ Volvo Penta® D12 EVC - 775 hp
- ◇ Cat® C12 - 715 hp
- ◇ Cat® C15 - 865 hp
- ◇ MAN® R6 - 800 hp

MECHANICAL:

- ◇ Cockpit control station - engine controls and dual joystick control for Marquis Docking System
- ◇ Engine oil change system
- ◇ Power steering

ELECTRICAL:

- ◇ Dual cablemaster for shore power
- ◇ Dual forward shorepower connector

WATER &

HOLDING SYSTEMS:

- ◇ Grey water holding system *(not available with dishwasher or washer & dryer options)*
- ◇ Overboard discharge system with pump

Transom & Bow Washdowns

- ◇ Fresh water only*
- ◇ Seawater only
- ◇ Both fresh & seawater

SAFETY & NAVIGATION:

- ◇ Autopilot - Raymarine® ST6002 with (1) wireless remote
- ◇ Lower helm
- ◇ SeaKey® - satellite-based boat security, safety & concierge system; 90 day trial subscription (U.S. & Canada only)

Dual Cockpit Capstan Winch

- ◇ Capstan VC 500 - 12V
- ◇ Capstan VC 1000 - 12V

Navigation Electronics Package

- ◇ Bridge Package - Raymarine® E-Series E120 multifunction navigation display, Raymarine® 240 VHF (hand set), 125 WASS GPS sensor, Raymarine® DSM 300 digital sonar module, Raymarine® B60 dual frequency 50/200 khz depth/temperature thru-hull transducer
- ◇ Bridge Package plus radar - Includes above bridge package plus Raymarine® E-Series E120 multifunction navigation display & 4KW scanner open array

- ◇ Bridge & Lower Helm Package - Includes above bridge package plus Raymarine® E-Series E120 multifunction navigation display & Raymarine® 240 VHF (hand set)
- ◇ Bridge & Lower Helm Package plus radar - Includes above bridge & lower helm package plus Raymarine® E-Series E120 multifunction navigation display & 4KW scanner open array

Video Monitor System

- ◇ Pilothouse - Voyager®, 1 monitor & 2 cameras
- ◇ Bridge - Voyager®, 1 monitor & 2 cameras
- ◇ Bridge & pilothouse - Voyager®, 2 monitors & 2 cameras

Windlass

- ◇ Maxwell 3500 - lo profile package*
- ◇ Maxwell 3500 VMC with capstan

AMENITIES:

Bridge Wet Bar

(choose up to 3 appliances)

- ◇ Grill - Gaggenau® single BBQ
- ◇ Icemaker - Raritan®, produces up to 22 lbs. (10 kg.) of ice per day
- ◇ Refrigerator - Nova Kool®, 2.4 cubic foot (68 liters)
- ◇ Storage*

Canvas

- ◇ Prestige bimini top
- ◇ Prestige full bridge canvas with carpet

Canvas Color

- ◇ White Stamoid®*
- ◇ Black Sunbrella®
- ◇ Cadette Grey
- ◇ Captain's Navy
- ◇ Charcoal Tweed
- ◇ Toast

Exterior

- ◇ Bridge air cooling system (24,000 BTU)
- ◇ Bridge hardtop
- ◇ Bridge hardtop soft enclosure
- ◇ Bridge lounge slip covers & pillows
- ◇ Bridge stereo - waterproof Clarion® AM/FM/CD player, Clarion® 6-disc CD changer, Sirius® satellite radio receiver & Apple iPod® dock
- ◇ Cockpit table - teak wood with protective cover and stainless steel pedestal

- ◇ Cockpit to bridge hatch
- ◇ Exterior carpet - berber
- ◇ Exterior upgrade package - stainless steel anchor, RCL 100D spotlight & aft flagstaff
- ◇ Helm & seat covers
- ◇ Hydraulic lift system
- ◇ Passarelle
- ◇ Painted hull - navy blue
- ◇ Teak decking - on swim platform, cockpit and cockpit to bridge steps, inlaid, solid 3/8" (9,5 mm) plank
- ◇ Underwater lighting

Galley

- ◇ Marquis™ Exclusive China, monogrammed, service for 6
- ◇ Marquis™ Exclusive Crystal, monogrammed, service for 6 (mineral water glasses, wine glasses and champagne flutes)
- ◇ Marquis™ Exclusive Flatware, monogrammed, service for 6
- ◇ Dishwasher - holds 6 place settings & uses as little as 2 gallons of water per load, Fisher & Paykel®
- ◇ Trash compactor - Broan®, 1.4 cubic foot, stainless steel (110 V only)

Salon

- ◇ Central vacuum system - WalVac®
- ◇ Decorator pillow set: 6-piece
- ◇ Wooden coffee table

Sofa - Port Side

- ◇ Double incliner*
- ◇ Storage
- ◇ Stowaway bed *(not available with starboard side stowaway bed)*

Sofa - Starboard Side

- ◇ Double incliner*
- ◇ Storage
- ◇ Stowaway bed *(not available with port side stowaway bed)*

STATEROOMS

Master Stateroom

- ◇ 20" (50 cm) Sole® LCD TV (built to durable marine grade standards) & Clarion® DVD/CD/MP3 player
- ◇ Stereo - Clarion® AM/FM/CD marine stereo & Apple iPod® dock
- ◇ Washer & dryer - Malber®, tumble dryer and fully automatic washer, front loading, energy efficient,

VIP Stateroom

- ◇ 15" (38 cm) LCD TV with DVD player
- ◇ Stereo - Clarion® AM/FM/CD marine stereo & Apple iPod® dock

Guest Stateroom

- ◇ 15" (38 cm) LCD TV with DVD player
- ◇ Office configuration; desk with 1 cabinet and 3 drawers
- ◇ Stereo - Clarion® AM/FM/CD player & Apple iPod® dock

Stern Cabin

- ◇ Crew cabin - accommodations for one person; single twin-sized foam berth, sink with handshower, head toilet, storage, watertight transom access door & engine room access door
- ◇ Storage area with watertight transom access door & engine room access door

DÉCOR:

Interior Wood Species

- ◇ Jewel gloss cherry wood*
- ◇ Jewel gloss nutmeg wood*

Countertops

- ◇ Bahamas Sand*
- ◇ Toffee
- ◇ Giallo Granite Upgrade

Ensemble

- ◇ Golden Shores* (brown tones with flecks of gold)
- ◇ Biscotti (dark chocolate browns) and ivory

Ultraleather

- ◇ Brisa Buckskin*
- ◇ Brisa Walnut
- ◇ Brisa Cream


INTERNATIONAL

SPECIFICATIONS:

- ◇ Electrical systems in 220V
- ◇ Entertainment equipment (televisions & stereos) not available in Japan
- ◇ Sirius Satellite radio only available in U.S. & Canada
- ◇ Some electrical equipment is only offered in 120V/60Hz; check with your Marquis Dealer for availability outside the U.S.

MARQUIS™ 560


FLOOR PLANS



— EXTENDED BRIDGE —



— OPEN CONCEPT GALLEY —



— ACCOMMODATIONS DECK SHOWN WITH
OPTIONAL CREW QUARTERS —



Marquis Yachts Headquarters
P.O. Box 101 ♦ 790 Markham Drive ♦ Pulaski, WI 54162 ♦ USA
phone: (920) 822-3214 ♦ fax: (920) 822-3213
www.marquisyachts.com

Marquis Yachts International
Le Roc Fleuri ♦ 1, Rue du Ténac ♦ 98000 Monte Carlo ♦ Monaco
phone: +377 (9798) 3202 ♦ fax: +377 (9798) 3203